

# Some Properties of Extended Real Numbers

## Operations: abs, min and max

Noboru Endou  
Shinshu University  
Nagano

Katsumi Wasaki  
Shinshu University  
Nagano

Yasunari Shidama  
Shinshu University  
Nagano

**Summary.** In this article, we extend some properties concerning real numbers to extended real numbers. Almost all properties included in this article are extended properties of other articles: [10], [7], [9], [11] and [8].

MML Identifier: EXTREAL2.

WWW: <http://mizar.org/JFM/Vol12/extreal2.html>

The articles [1], [9], [11], [2], [3], [4], [5], and [6] provide the notation and terminology for this paper.

### 1. PRELIMINARIES

We adopt the following rules:  $x, y, w, z$  are extended real numbers and  $a, b$  are real numbers.

One can prove the following propositions:

- (2)<sup>1</sup> If  $x \neq +\infty$  and  $x \neq -\infty$ , then there exists  $y$  such that  $x + y = 0_{\bar{\mathbb{R}}}$ .
- (3) If  $x \neq +\infty$  and  $x \neq -\infty$  and  $x \neq 0_{\bar{\mathbb{R}}}$ , then there exists  $y$  such that  $x \cdot y = \bar{1}$ .
- (4)  $\bar{1} \cdot x = x$  and  $x \cdot \bar{1} = x$  and  $\bar{\mathbb{R}}(1) \cdot x = x$  and  $x \cdot \bar{\mathbb{R}}(1) = x$ .
- (5)  $0_{\bar{\mathbb{R}}} - x = -x$ .
- (7)<sup>2</sup> If  $0_{\bar{\mathbb{R}}} \leq x$  and  $0_{\bar{\mathbb{R}}} \leq y$ , then  $0_{\bar{\mathbb{R}}} \leq x + y$ .
- (8) If  $0_{\bar{\mathbb{R}}} \leq x$  and  $0_{\bar{\mathbb{R}}} < y$  or  $0_{\bar{\mathbb{R}}} < x$  and  $0_{\bar{\mathbb{R}}} \leq y$ , then  $0_{\bar{\mathbb{R}}} < x + y$ .
- (9) If  $x \leq 0_{\bar{\mathbb{R}}}$  and  $y \leq 0_{\bar{\mathbb{R}}}$ , then  $x + y \leq 0_{\bar{\mathbb{R}}}$ .
- (10) If  $x \leq 0_{\bar{\mathbb{R}}}$  and  $y < 0_{\bar{\mathbb{R}}}$  or  $x < 0_{\bar{\mathbb{R}}}$  and  $y \leq 0_{\bar{\mathbb{R}}}$ , then  $x + y < 0_{\bar{\mathbb{R}}}$ .
- (11) If  $z \neq +\infty$  and  $z \neq -\infty$  and  $x + z = y$ , then  $x = y - z$ .
- (12) If  $x \neq +\infty$  and  $x \neq -\infty$  and  $x \neq 0_{\bar{\mathbb{R}}}$ , then  $x \cdot \frac{\bar{1}}{x} = \bar{1}$  and  $\frac{\bar{1}}{x} \cdot x = \bar{1}$ .
- (13) If  $x \neq +\infty$  and  $x \neq -\infty$ , then  $x - x = 0_{\bar{\mathbb{R}}}$ .
- (14) If  $x \neq +\infty$  or  $y \neq -\infty$  and if  $x \neq -\infty$  or  $y \neq +\infty$ , then  $-(x + y) = -x - y$  and  $-(x + y) = -y - x$  and  $-(x + y) = -x - y$ .

<sup>1</sup> The proposition (1) has been removed.

<sup>2</sup> The proposition (6) has been removed.

- (15) If  $x \neq +\infty$  or  $y \neq +\infty$  and if  $x \neq -\infty$  or  $y \neq -\infty$ , then  $-(x-y) = -x+y$  and  $-(x-y) = y-x$ .
- (16) If  $x \neq +\infty$  or  $y \neq +\infty$  and if  $x \neq -\infty$  or  $y \neq -\infty$ , then  $-(-x+y) = x-y$  and  $-(-x+y) = x+-y$ .
- (17) If  $x = +\infty$  and  $0_{\bar{\mathbb{R}}} < y$  and  $y < +\infty$  or  $x = -\infty$  and  $y < 0_{\bar{\mathbb{R}}}$  and  $-\infty < y$ , then  $\frac{x}{y} = +\infty$ .
- (18) If  $x = +\infty$  and  $y < 0_{\bar{\mathbb{R}}}$  and  $-\infty < y$  or  $x = -\infty$  and  $0_{\bar{\mathbb{R}}} < y$  and  $y < +\infty$ , then  $\frac{x}{y} = -\infty$ .
- (19) If  $-\infty < y$  and  $y < +\infty$  and  $y \neq 0_{\bar{\mathbb{R}}}$ , then  $\frac{x \cdot y}{y} = x$  and  $x \cdot \frac{y}{y} = x$ .
- (20)  $\bar{1} < +\infty$  and  $-\infty < \bar{1}$ .
- (21) If  $x = +\infty$  or  $x = -\infty$ , then for every  $y$  such that  $y \in \mathbb{R}$  holds  $x+y \neq 0_{\bar{\mathbb{R}}}$ .
- (22) If  $x = +\infty$  or  $x = -\infty$ , then for every  $y$  holds  $x \cdot y \neq \bar{1}$ .
- (23) If  $x \neq +\infty$  or  $y \neq -\infty$  but  $x \neq -\infty$  or  $y \neq +\infty$  and  $x+y < +\infty$ , then  $x \neq +\infty$  and  $y \neq +\infty$ .
- (24) If  $x \neq +\infty$  or  $y \neq -\infty$  but  $x \neq -\infty$  or  $y \neq +\infty$  and  $-\infty < x+y$ , then  $x \neq -\infty$  and  $y \neq -\infty$ .
- (25) If  $x \neq +\infty$  or  $y \neq +\infty$  but  $x \neq -\infty$  or  $y \neq -\infty$  and  $x-y < +\infty$ , then  $x \neq +\infty$  and  $y \neq -\infty$ .
- (26) If  $x \neq +\infty$  or  $y \neq +\infty$  but  $x \neq -\infty$  or  $y \neq -\infty$  and  $-\infty < x-y$ , then  $x \neq -\infty$  and  $y \neq +\infty$ .
- (27) If  $x \neq +\infty$  or  $y \neq -\infty$  but  $x \neq -\infty$  or  $y \neq +\infty$  and  $x+y < z$ , then  $x \neq +\infty$  and  $y \neq +\infty$  and  $z \neq -\infty$  and  $x < z-y$ .
- (28) If  $z \neq +\infty$  or  $y \neq +\infty$  but  $z \neq -\infty$  or  $y \neq -\infty$  and  $x < z-y$ , then  $x \neq +\infty$  and  $y \neq +\infty$  and  $z \neq -\infty$  and  $x+y < z$ .
- (29) If  $x \neq +\infty$  or  $y \neq +\infty$  but  $x \neq -\infty$  or  $y \neq -\infty$  and  $x-y < z$ , then  $x \neq +\infty$  and  $y \neq -\infty$  and  $z \neq -\infty$  and  $x < z+y$ .
- (30) If  $z \neq +\infty$  or  $y \neq -\infty$  but  $z \neq -\infty$  or  $y \neq +\infty$  and  $x < z+y$ , then  $x \neq +\infty$  and  $y \neq -\infty$  and  $z \neq -\infty$  and  $x-y < z$ .
- (31) If  $x \neq +\infty$  or  $y \neq -\infty$  and  $x \neq -\infty$  or  $y \neq +\infty$  and  $y \neq +\infty$  or  $z \neq +\infty$  and  $y \neq -\infty$  or  $z \neq -\infty$  and  $x+y \leq z$ , then  $y \neq +\infty$  and  $x \leq z-y$ .
- (32) If  $x = +\infty$  and  $y = -\infty$  and  $x = -\infty$  and  $y = +\infty$  and  $y = +\infty$  and  $z = +\infty$  and  $x \leq z-y$ , then  $y \neq +\infty$  and  $x+y \leq z$ .
- (33) If  $x \neq +\infty$  or  $y \neq +\infty$  and  $x \neq -\infty$  or  $y \neq -\infty$  and  $y \neq +\infty$  or  $z \neq -\infty$  and  $y \neq -\infty$  or  $z \neq +\infty$  and  $x-y \leq z$ , then  $y \neq -\infty$  and  $x \leq z+y$ .
- (34) If  $x = +\infty$  and  $y = +\infty$  and  $x = -\infty$  and  $y = -\infty$  and  $y = -\infty$  and  $z = +\infty$  and  $x \leq z+y$ , then  $y \neq -\infty$  and  $x-y \leq z$ .
- (40)<sup>3</sup> Suppose  $x = +\infty$  and  $y = +\infty$  and  $x = -\infty$  and  $y = -\infty$  and  $y = +\infty$  and  $z = -\infty$  and  $y = -\infty$  and  $z = +\infty$  and  $x = +\infty$  and  $z = +\infty$  and  $x = -\infty$  and  $z = -\infty$ . Then  $x-y-z = x-(y+z)$ .
- (41) Suppose  $x = +\infty$  and  $y = +\infty$  and  $x = -\infty$  and  $y = -\infty$  and  $y = +\infty$  and  $z = +\infty$  and  $y = -\infty$  and  $z = -\infty$  and  $x = +\infty$  and  $z = -\infty$  and  $x = -\infty$  and  $z = +\infty$ . Then  $(x-y)+z = x-(y-z)$ .
- (42) If  $x \cdot y \neq +\infty$  and  $x \cdot y \neq -\infty$ , then  $x$  is a real number or  $y$  is a real number.
- (43)  $0_{\bar{\mathbb{R}}} < x$  and  $0_{\bar{\mathbb{R}}} < y$  or  $x < 0_{\bar{\mathbb{R}}}$  and  $y < 0_{\bar{\mathbb{R}}}$  iff  $0_{\bar{\mathbb{R}}} < x \cdot y$ .
- (44)  $0_{\bar{\mathbb{R}}} < x$  and  $y < 0_{\bar{\mathbb{R}}}$  or  $x < 0_{\bar{\mathbb{R}}}$  and  $0_{\bar{\mathbb{R}}} < y$  iff  $x \cdot y < 0_{\bar{\mathbb{R}}}$ .
- (45)  $0_{\bar{\mathbb{R}}} \leq x$  or  $0_{\bar{\mathbb{R}}} < x$  but  $0_{\bar{\mathbb{R}}} \leq y$  or  $0_{\bar{\mathbb{R}}} < y$  or  $x \leq 0_{\bar{\mathbb{R}}}$  or  $x < 0_{\bar{\mathbb{R}}}$  but  $y \leq 0_{\bar{\mathbb{R}}}$  or  $y < 0_{\bar{\mathbb{R}}}$  iff  $0_{\bar{\mathbb{R}}} \leq x \cdot y$ .

<sup>3</sup> The propositions (35)–(39) have been removed.

- (46)  $x \leq 0_{\bar{\mathbb{R}}}$  or  $x < 0_{\bar{\mathbb{R}}}$  but  $0_{\bar{\mathbb{R}}} \leq y$  or  $0_{\bar{\mathbb{R}}} < y$  or  $0_{\bar{\mathbb{R}}} \leq x$  or  $0_{\bar{\mathbb{R}}} < x$  but  $y \leq 0_{\bar{\mathbb{R}}}$  or  $y < 0_{\bar{\mathbb{R}}}$  iff  $x \cdot y \leq 0_{\bar{\mathbb{R}}}$ .
- (47)  $x \leq -y$  iff  $y \leq -x$  and  $-x \leq y$  iff  $-y \leq x$ .
- (48)  $x < -y$  iff  $y < -x$  and  $-x < y$  iff  $-y < x$ .

## 2. BASIC PROPERTIES OF ABS FOR EXTENDED REAL NUMBERS

Next we state a number of propositions:

- (49) If  $x = a$ , then  $|x| = |a|$ .
- (50)  $|x| = x$  or  $|x| = -x$ .
- (51)  $0_{\bar{\mathbb{R}}} \leq |x|$ .
- (52) If  $x \neq 0_{\bar{\mathbb{R}}}$ , then  $0_{\bar{\mathbb{R}}} < |x|$ .
- (53)  $x = 0_{\bar{\mathbb{R}}}$  iff  $|x| = 0_{\bar{\mathbb{R}}}$ .
- (54) If  $|x| = -x$  and  $x \neq 0_{\bar{\mathbb{R}}}$ , then  $x < 0_{\bar{\mathbb{R}}}$ .
- (55) If  $x \leq 0_{\bar{\mathbb{R}}}$ , then  $|x| = -x$ .
- (56)  $|x \cdot y| = |x| \cdot |y|$ .
- (57)  $-|x| \leq x$  and  $x \leq |x|$ .
- (58) If  $|x| < y$ , then  $-y < x$  and  $x < y$ .
- (59) If  $-y < x$  and  $x < y$ , then  $0_{\bar{\mathbb{R}}} < y$  and  $|x| < y$ .
- (60)  $-y \leq x$  and  $x \leq y$  iff  $|x| \leq y$ .
- (61) If  $x \neq +\infty$  or  $y \neq -\infty$  and if  $x \neq -\infty$  or  $y \neq +\infty$ , then  $|x + y| \leq |x| + |y|$ .
- (62) If  $-\infty < x$  and  $x < +\infty$  and  $x \neq 0_{\bar{\mathbb{R}}}$ , then  $|x| \cdot |\frac{1}{x}| = 1$ .
- (63) If  $x = +\infty$  or  $x = -\infty$ , then  $|x| \cdot |\frac{1}{x}| = 0_{\bar{\mathbb{R}}}$ .
- (64) If  $x \neq 0_{\bar{\mathbb{R}}}$ , then  $|\frac{1}{x}| = \frac{1}{|x|}$ .
- (65) If  $x = -\infty$  or  $x = +\infty$  and if  $y = -\infty$  or  $y = +\infty$  and if  $y \neq 0_{\bar{\mathbb{R}}}$ , then  $|\frac{x}{y}| = \frac{|x|}{|y|}$ .
- (66)  $|x| = |-x|$ .
- (67) If  $x = +\infty$  or  $x = -\infty$ , then  $|x| = +\infty$ .
- (68) If  $x$  is a real number or  $y$  is a real number, then  $|x| - |y| \leq |x - y|$ .
- (69) If  $x \neq +\infty$  or  $y \neq +\infty$  and if  $x \neq -\infty$  or  $y \neq -\infty$ , then  $|x - y| \leq |x| + |y|$ .
- (70)  $||x|| = |x|$ .
- (71) If  $x \neq +\infty$  or  $y \neq -\infty$  but  $x \neq -\infty$  or  $y \neq +\infty$  and  $|x| \leq z$  and  $|y| \leq w$ , then  $|x + y| \leq z + w$ .
- (72) If  $x$  is a real number or  $y$  is a real number, then  $||x| - |y|| \leq |x - y|$ .
- (73) If  $0_{\bar{\mathbb{R}}} \leq x \cdot y$ , then  $|x + y| = |x| + |y|$ .

### 3. DEFINITIONS OF MIN, MAX FOR EXTENDED REAL NUMBERS AND THEIR BASIC PROPERTIES

We now state the proposition

$$(74) \quad \text{If } x = a \text{ and } y = b, \text{ then } b < a \text{ iff } y < x \text{ and } b \leq a \text{ iff } y \leq x.$$

Let us consider  $x, y$ . The functor  $\min(x, y)$  yields an extended real number and is defined as follows:

$$\text{(Def. 1)} \quad \min(x, y) = \begin{cases} x, & \text{if } x \leq y, \\ y, & \text{otherwise.} \end{cases}$$

The functor  $\max(x, y)$  yields an extended real number and is defined as follows:

$$\text{(Def. 2)} \quad \max(x, y) = \begin{cases} x, & \text{if } y \leq x, \\ y, & \text{otherwise.} \end{cases}$$

We now state a number of propositions:

$$(75) \quad \text{If } x = -\infty \text{ or } y = -\infty, \text{ then } \min(x, y) = -\infty.$$

$$(76) \quad \text{If } x = +\infty \text{ or } y = +\infty, \text{ then } \max(x, y) = +\infty.$$

$$(77) \quad \text{Let } x, y \text{ be extended real numbers and } a, b \text{ be real numbers. If } x = a \text{ and } y = b, \text{ then } \min(x, y) = \min(a, b) \text{ and } \max(x, y) = \max(a, b).$$

$$(78) \quad \text{If } y \leq x, \text{ then } \min(x, y) = y.$$

$$(79) \quad \text{If } y \not\leq x, \text{ then } \min(x, y) = x.$$

$$(80) \quad \text{If } x \neq +\infty \text{ and } y \neq +\infty \text{ and } x \neq -\infty \text{ or } y \neq -\infty \text{ but } x \neq -\infty \text{ or } y \neq -\infty, \text{ then } \min(x, y) = \frac{(x+y)-|x-y|}{\mathbb{R}(2)}.$$

$$(81) \quad \min(x, y) \leq x \text{ and } \min(y, x) \leq x.$$

$$(83)^4 \quad \min(x, y) = \min(y, x).$$

$$(84) \quad \min(x, y) = x \text{ or } \min(x, y) = y.$$

$$(85) \quad x \leq y \text{ and } x \leq z \text{ iff } x \leq \min(y, z).$$

$$(87)^5 \quad \text{If } \min(x, y) = y, \text{ then } y \leq x.$$

$$(88) \quad \min(x, \min(y, z)) = \min(\min(x, y), z).$$

$$(89) \quad \text{If } x \leq y, \text{ then } \max(x, y) = y.$$

$$(90) \quad \text{If } x \not\leq y, \text{ then } \max(x, y) = x.$$

$$(91) \quad \text{If } x \neq -\infty \text{ and } y \neq -\infty \text{ and } x \neq +\infty \text{ or } y \neq +\infty \text{ but } x \neq -\infty \text{ or } y \neq -\infty, \text{ then } \max(x, y) = \frac{x+y+|x-y|}{\mathbb{R}(2)}.$$

$$(92) \quad x \leq \max(x, y) \text{ and } x \leq \max(y, x).$$

$$(94)^6 \quad \max(x, y) = \max(y, x).$$

$$(95) \quad \max(x, y) = x \text{ or } \max(x, y) = y.$$

$$(96) \quad y \leq x \text{ and } z \leq x \text{ iff } \max(y, z) \leq x.$$

<sup>4</sup> The proposition (82) has been removed.

<sup>5</sup> The proposition (86) has been removed.

<sup>6</sup> The proposition (93) has been removed.

- (98)<sup>7</sup> If  $\max(x,y) = y$ , then  $x \leq y$ .
- (99)  $\max(x, \max(y,z)) = \max(\max(x,y),z)$ .
- (100)  $\min(x,y) + \max(x,y) = x + y$ .
- (101)  $\max(x, \min(x,y)) = x$  and  $\max(\min(x,y),x) = x$  and  $\max(\min(y,x),x) = x$  and  $\max(x, \min(y,x)) = x$ .
- (102)  $\min(x, \max(x,y)) = x$  and  $\min(\max(x,y),x) = x$  and  $\min(\max(y,x),x) = x$  and  $\min(x, \max(y,x)) = x$ .
- (103)  $\min(x, \max(y,z)) = \max(\min(x,y), \min(x,z))$  and  $\min(\max(y,z),x) = \max(\min(y,x), \min(z,x))$ .
- (104)  $\max(x, \min(y,z)) = \min(\max(x,y), \max(x,z))$  and  $\max(\min(y,z),x) = \min(\max(y,x), \max(z,x))$ .

## REFERENCES

- [1] Grzegorz Bancerek. The ordinal numbers. *Journal of Formalized Mathematics*, 1, 1989. <http://mizar.org/JFM/Vol1/ordinal1.html>.
- [2] Józef Białas. Infimum and supremum of the set of real numbers. Measure theory. *Journal of Formalized Mathematics*, 2, 1990. [http://mizar.org/JFM/Vol2/supinf\\_1.html](http://mizar.org/JFM/Vol2/supinf_1.html).
- [3] Józef Białas. Series of positive real numbers. Measure theory. *Journal of Formalized Mathematics*, 2, 1990. [http://mizar.org/JFM/Vol2/supinf\\_2.html](http://mizar.org/JFM/Vol2/supinf_2.html).
- [4] Józef Białas. Some properties of the intervals. *Journal of Formalized Mathematics*, 6, 1994. <http://mizar.org/JFM/Vol6/measure6.html>.
- [5] Noboru Endou, Katsumi Wasaki, and Yasunari Shidama. Basic properties of extended real numbers. *Journal of Formalized Mathematics*, 12, 2000. <http://mizar.org/JFM/Vol12/extreal1.html>.
- [6] Noboru Endou, Katsumi Wasaki, and Yasunari Shidama. Definitions and basic properties of measurable functions. *Journal of Formalized Mathematics*, 12, 2000. <http://mizar.org/JFM/Vol12/mesfunc1.html>.
- [7] Krzysztof Hryniewiecki. Basic properties of real numbers. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/real\\_1.html](http://mizar.org/JFM/Vol1/real_1.html).
- [8] Andrzej Kondracki. Equalities and inequalities in real numbers. *Journal of Formalized Mathematics*, 2, 1990. [http://mizar.org/JFM/Vol2/real\\_2.html](http://mizar.org/JFM/Vol2/real_2.html).
- [9] Jan Popiołek. Some properties of functions modul and signum. *Journal of Formalized Mathematics*, 1, 1989. <http://mizar.org/JFM/Vol1/absvalue.html>.
- [10] Andrzej Trybulec. Strong arithmetic of real numbers. *Journal of Formalized Mathematics*, Addenda, 1989. <http://mizar.org/JFM/Addenda/axioms.html>.
- [11] Andrzej Trybulec and Czesław Byliński. Some properties of real numbers operations: min, max, square, and square root. *Journal of Formalized Mathematics*, 1, 1989. [http://mizar.org/JFM/Vol1/square\\_1.html](http://mizar.org/JFM/Vol1/square_1.html).

Received September 15, 2000

Published January 2, 2004

---

<sup>7</sup> The proposition (97) has been removed.