The Properties of Product of Relational Structures¹

Artur Korniłowicz University of Białystok

Summary. This work contains useful facts about the product of relational structures. It continues the formalization of [7].

MML Identifier: YELLOW10.

WWW: http://mizar.org/JFM/Vol10/yellow10.html

The articles [13], [5], [14], [16], [1], [2], [3], [6], [8], [9], [10], [4], [11], [12], and [15] provide the notation and terminology for this paper.

1. On the Elements of Product of Relational Structures

Let S, T be non empty upper-bounded relational structures. Observe that [:S, T:] is upper-bounded. Let S, T be non empty lower-bounded relational structures. Observe that [:S, T:] is lower-bounded.

One can prove the following propositions:

- (1) Let S, T be non empty relational structures. If [:S, T:] is upper-bounded, then S is upper-bounded and T is upper-bounded.
- (2) Let S, T be non empty relational structures. If [:S,T:] is lower-bounded, then S is lower-bounded and T is lower-bounded.
- (3) For all upper-bounded antisymmetric non empty relational structures S, T holds $\top_{[S,T]} = \langle \top_S, \top_T \rangle$.
- (4) For all lower-bounded antisymmetric non empty relational structures S, T holds $\bot_{[:S,T:]} = \langle \bot_S, \bot_T \rangle$.
- (5) Let S, T be lower-bounded antisymmetric non empty relational structures and D be a subset of [:S, T:]. If [:S, T:] is complete or $\sup D$ exists in [:S, T:], then $\sup D = \langle \sup \pi_1(D), \sup \pi_2(D) \rangle$.
- (6) Let S, T be upper-bounded antisymmetric non empty relational structures and D be a subset of [:S, T:]. If [:S, T:] is complete or inf D exists in [:S, T:], then inf $D = \langle \inf \pi_1(D), \inf \pi_2(D) \rangle$.
- (7) Let S, T be non empty relational structures and x, y be elements of [:S, T:]. Then $x \le \{y\}$ if and only if the following conditions are satisfied:
- (i) $x_1 \le \{y_1\}$, and
- (ii) $x_2 \leq \{y_2\}.$

¹This work has been supported by KBN Grant 8 T11C 018 12.

- (8) Let S, T be non empty relational structures and x, y, z be elements of [:S, T:]. Then $x \le \{y, z\}$ if and only if the following conditions are satisfied:
- (i) $x_1 \leq \{y_1, z_1\}$, and
- (ii) $x_2 \leq \{y_2, z_2\}.$
- (9) Let S, T be non empty relational structures and x, y be elements of [:S, T:]. Then $x \ge \{y\}$ if and only if the following conditions are satisfied:
- (i) $x_1 \ge \{y_1\}$, and
- (ii) $x_2 \ge \{y_2\}.$
- (10) Let S, T be non empty relational structures and x, y, z be elements of [:S, T:]. Then $x \ge \{y,z\}$ if and only if the following conditions are satisfied:
 - (i) $x_1 \ge \{y_1, z_1\}$, and
- (ii) $x_2 \geq \{y_2, z_2\}.$
- (11) Let S, T be non empty antisymmetric relational structures and x, y be elements of [:S, T:]. Then inf $\{x,y\}$ exists in [:S,T:] if and only if inf $\{x_1,y_1\}$ exists in S and inf $\{x_2,y_2\}$ exists in T.
- (12) Let S, T be non empty antisymmetric relational structures and x, y be elements of [:S, T:]. Then sup $\{x,y\}$ exists in [:S,T:] if and only if sup $\{x_1,y_1\}$ exists in S and sup $\{x_2,y_2\}$ exists in T
- (13) Let S, T be antisymmetric relational structures with g.l.b.'s and x, y be elements of [:S, T:]. Then $(x \sqcap y)_1 = x_1 \sqcap y_1$ and $(x \sqcap y)_2 = x_2 \sqcap y_2$.
- (14) Let S, T be antisymmetric relational structures with l.u.b.'s and x, y be elements of [:S, T:]. Then $(x \sqcup y)_1 = x_1 \sqcup y_1$ and $(x \sqcup y)_2 = x_2 \sqcup y_2$.
- (15) Let S, T be antisymmetric relational structures with g.l.b.'s, x_1 , y_1 be elements of S, and x_2 , y_2 be elements of T. Then $\langle x_1 \sqcap y_1, x_2 \sqcap y_2 \rangle = \langle x_1, x_2 \rangle \sqcap \langle y_1, y_2 \rangle$.
- (16) Let S, T be antisymmetric relational structures with l.u.b.'s, x_1, y_1 be elements of S, and x_2, y_2 be elements of T. Then $\langle x_1 \sqcup y_1, x_2 \sqcup y_2 \rangle = \langle x_1, x_2 \rangle \sqcup \langle y_1, y_2 \rangle$.

Let S be an antisymmetric relational structure with l.u.b.'s and g.l.b.'s and let x, y be elements of S. Let us note that the predicate y is a complement of x is symmetric.

Next we state several propositions:

- (17) Let S, T be bounded antisymmetric relational structures with l.u.b.'s and g.l.b.'s and x, y be elements of [:S, T:]. Then x is a complement of y if and only if x_1 is a complement of y_1 and x_2 is a complement of y_2 .
- (18) Let S, T be antisymmetric up-complete non empty reflexive relational structures, a, c be elements of S, and b, d be elements of T. If $\langle a, b \rangle \ll \langle c, d \rangle$, then $a \ll c$ and $b \ll d$.
- (19) Let S, T be up-complete non empty posets, a, c be elements of S, and b, d be elements of T. Then $\langle a, b \rangle \ll \langle c, d \rangle$ if and only if $a \ll c$ and $b \ll d$.
- (20) Let S, T be antisymmetric up-complete non empty reflexive relational structures and x, y be elements of [:S, T:]. If $x \ll y$, then $x_1 \ll y_1$ and $x_2 \ll y_2$.
- (21) Let S, T be up-complete non empty posets and x, y be elements of [:S, T:]. Then $x \ll y$ if and only if the following conditions are satisfied:
 - (i) $x_1 \ll y_1$, and
- (ii) $x_2 \ll y_2$.
- (22) Let S, T be antisymmetric up-complete non empty reflexive relational structures and x be an element of [:S,T:]. If x is compact, then x_1 is compact and x_2 is compact.

- (23) Let S, T be up-complete non empty posets and x be an element of [:S, T:]. If x_1 is compact and x_2 is compact, then x is compact.
 - 2. On the Subsets of Product of Relational Structures

Next we state a number of propositions:

- (24) Let S, T be antisymmetric relational structures with g.l.b.'s and X, Y be subsets of [:S, T:]. Then $\pi_1(X \sqcap Y) = \pi_1(X) \sqcap \pi_1(Y)$ and $\pi_2(X \sqcap Y) = \pi_2(X) \sqcap \pi_2(Y)$.
- (25) Let S, T be antisymmetric relational structures with l.u.b.'s and X, Y be subsets of [:S, T:]. Then $\pi_1(X \sqcup Y) = \pi_1(X) \sqcup \pi_1(Y)$ and $\pi_2(X \sqcup Y) = \pi_2(X) \sqcup \pi_2(Y)$.
- (26) For all relational structures S, T and for every subset X of [:S,T:] holds $\downarrow X \subseteq [:\downarrow \pi_1(X), \downarrow \pi_2(X):]$.
- (27) For all relational structures S, T and for every subset X of S and for every subset Y of T holds $[: \downarrow X, \downarrow Y:] = \downarrow [:X, Y:]$.
- (28) For all relational structures S, T and for every subset X of [:S,T:] holds $\pi_1(\downarrow X) \subseteq \downarrow \pi_1(X)$ and $\pi_2(\downarrow X) \subseteq \downarrow \pi_2(X)$.
- (29) Let *S* be a relational structure, *T* be a reflexive relational structure, and *X* be a subset of [:S, T:]. Then $\pi_1(\downarrow X) = \downarrow \pi_1(X)$.
- (30) Let *S* be a reflexive relational structure, *T* be a relational structure, and *X* be a subset of [:S, T:]. Then $\pi_2(\downarrow X) = \downarrow \pi_2(X)$.
- (31) For all relational structures S, T and for every subset X of [:S,T:] holds $\uparrow X \subseteq [:\uparrow \pi_1(X), \uparrow \pi_2(X):]$.
- (32) For all relational structures S, T and for every subset X of S and for every subset Y of T holds $[:\uparrow X, \uparrow Y:] = \uparrow [:X, Y:]$.
- (33) For all relational structures S, T and for every subset X of [:S, T:] holds $\pi_1(\uparrow X) \subseteq \uparrow \pi_1(X)$ and $\pi_2(\uparrow X) \subseteq \uparrow \pi_2(X)$.
- (34) Let *S* be a relational structure, *T* be a reflexive relational structure, and *X* be a subset of [: *S*, *T* :]. Then $\pi_1(\uparrow X) = \uparrow \pi_1(X)$.
- (35) Let *S* be a reflexive relational structure, *T* be a relational structure, and *X* be a subset of [:S, T:]. Then $\pi_2(\uparrow X) = \uparrow \pi_2(X)$.
- (36) Let S, T be non empty relational structures, s be an element of S, and t be an element of T. Then $[: \downarrow s, \downarrow t :] = \downarrow \langle s, t \rangle$.
- (37) For all non empty relational structures S, T and for every element x of [:S,T:] holds $\pi_1(\downarrow x) \subseteq \downarrow(x_1)$ and $\pi_2(\downarrow x) \subseteq \downarrow(x_2)$.
- (38) Let S be a non empty relational structure, T be a non empty reflexive relational structure, and x be an element of [:S, T:]. Then $\pi_1(\downarrow x) = \downarrow(x_1)$.
- (39) Let S be a non empty reflexive relational structure, T be a non empty relational structure, and x be an element of [:S, T:]. Then $\pi_2(\downarrow x) = \downarrow(x_2)$.
- (40) Let S, T be non empty relational structures, s be an element of S, and t be an element of T. Then $[: \uparrow s, \uparrow t :] = \uparrow \langle s, t \rangle$.
- (41) For all non empty relational structures S, T and for every element x of [:S,T:] holds $\pi_1(\uparrow x) \subseteq \uparrow(x_1)$ and $\pi_2(\uparrow x) \subseteq \uparrow(x_2)$.
- (42) Let S be a non empty relational structure, T be a non empty reflexive relational structure, and x be an element of [:S, T:]. Then $\pi_1(\uparrow x) = \uparrow(x_1)$.

- (43) Let S be a non empty reflexive relational structure, T be a non empty relational structure, and x be an element of [:S, T:]. Then $\pi_2(\uparrow x) = \uparrow(x_2)$.
- (44) For all up-complete non empty posets S, T and for every element s of S and for every element t of T holds $[: \downarrow s, \downarrow t:] = \downarrow \langle s, t \rangle$.
- (45) Let S, T be antisymmetric up-complete non empty reflexive relational structures and x be an element of [:S,T:]. Then $\pi_1(\downarrow x)\subseteq \downarrow(x_1)$ and $\pi_2(\downarrow x)\subseteq \downarrow(x_2)$.
- (46) Let *S* be an up-complete non empty poset, *T* be an up-complete lower-bounded non empty poset, and *x* be an element of [:S, T:]. Then $\pi_1(\downarrow x) = \downarrow (x_1)$.
- (47) Let *S* be an up-complete lower-bounded non empty poset, *T* be an up-complete non empty poset, and *x* be an element of [:S, T:]. Then $\pi_2(\downarrow x) = \downarrow (x_2)$.
- (48) For all up-complete non empty posets S, T and for every element s of S and for every element t of T holds $[:\uparrow s, \uparrow t:] = \uparrow \langle s, t \rangle$.
- (49) Let S, T be antisymmetric up-complete non empty reflexive relational structures and x be an element of [:S,T:]. Then $\pi_1(\uparrow x) \subseteq \uparrow(x_1)$ and $\pi_2(\uparrow x) \subseteq \uparrow(x_2)$.
- (50) For all up-complete non empty posets S, T and for every element s of S and for every element t of T holds [:compactbelow(s), compactbelow(t):] = compactbelow(s).
- (51) Let S, T be antisymmetric up-complete non empty reflexive relational structures and x be an element of [:S,T:]. Then $\pi_1(\text{compactbelow}(x)) \subseteq \text{compactbelow}(x_1)$ and $\pi_2(\text{compactbelow}(x)) \subseteq \text{compactbelow}(x_2)$.
- (52) Let *S* be an up-complete non empty poset, *T* be an up-complete lower-bounded non empty poset, and *x* be an element of [:S,T:]. Then $\pi_1(\text{compactbelow}(x)) = \text{compactbelow}(x_1)$.
- (53) Let *S* be an up-complete lower-bounded non empty poset, *T* be an up-complete non empty poset, and *x* be an element of [:S, T:]. Then $\pi_2(\text{compactbelow}(x)) = \text{compactbelow}(x_2)$.

Let S be a non empty reflexive relational structure. Note that every subset of S which is empty is also open.

One can prove the following propositions:

- (54) Let S, T be antisymmetric up-complete non empty reflexive relational structures and X be a subset of [:S,T:]. If X is open, then $\pi_1(X)$ is open and $\pi_2(X)$ is open.
- (55) Let *S*, *T* be up-complete non empty posets, *X* be a subset of *S*, and *Y* be a subset of *T*. If *X* is open and *Y* is open, then [:*X*, *Y*:] is open.
- (56) Let S, T be antisymmetric up-complete non empty reflexive relational structures and X be a subset of [:S,T:]. If X is inaccessible, then $\pi_1(X)$ is inaccessible and $\pi_2(X)$ is inaccessible.
- (57) Let S, T be antisymmetric up-complete non empty reflexive relational structures, X be an upper subset of S, and Y be an upper subset of T. If X is inaccessible and Y is inaccessible, then [X, Y] is inaccessible.
- (58) Let S, T be antisymmetric up-complete non empty reflexive relational structures, X be a subset of S, and Y be a subset of T such that [:X,Y:] is directly closed. Then
 - (i) if $Y \neq \emptyset$, then X is directly closed, and
- (ii) if $X \neq \emptyset$, then Y is directly closed.
- (59) Let S, T be antisymmetric up-complete non empty reflexive relational structures, X be a subset of S, and Y be a subset of T. Suppose X is directly closed and Y is directly closed. Then [:X,Y:] is directly closed.

- (60) Let S, T be antisymmetric up-complete non empty reflexive relational structures and X be a subset of [:S,T:]. If X has the property (S), then $\pi_1(X)$ has the property (S) and $\pi_2(X)$ has the property (S).
- (61) Let S, T be up-complete non empty posets, X be a subset of S, and Y be a subset of T. If X has the property (S) and Y has the property (S), then [:X,Y:] has the property (S).

3. On the Products of Relational Structures

We now state the proposition

(62) Let S, T be non empty reflexive relational structures. Suppose the relational structure of S = the relational structure of T and S is inf-complete. Then T is inf-complete.

Let S be an inf-complete non empty reflexive relational structure. Observe that the relational structure of S is inf-complete.

Let S, T be inf-complete non empty reflexive relational structures. Observe that [:S,T:] is inf-complete.

The following proposition is true

- (63) Let S, T be non empty reflexive relational structures. If [:S,T:] is inf-complete, then S is inf-complete and T is inf-complete.
- Let S, T be complemented bounded antisymmetric non empty relational structures with g.l.b.'s and l.u.b.'s. One can verify that [:S,T:] is complemented.

We now state the proposition

- (64) Let *S*, *T* be bounded antisymmetric relational structures with g.l.b.'s and l.u.b.'s. If [: *S*, *T*:] is complemented, then *S* is complemented and *T* is complemented.
- Let S, T be distributive antisymmetric non empty relational structures with g.l.b.'s and l.u.b.'s. Note that [:S,T:] is distributive.

The following propositions are true:

- (65) Let *S* be an antisymmetric relational structure with g.l.b.'s and l.u.b.'s and *T* be a reflexive antisymmetric relational structure with g.l.b.'s and l.u.b.'s. If [:*S*, *T*:] is distributive, then *S* is distributive.
- (66) Let *S* be a reflexive antisymmetric relational structure with g.l.b.'s and l.u.b.'s and *T* be an antisymmetric relational structure with g.l.b.'s and l.u.b.'s. If [: *S*, *T* :] is distributive, then *T* is distributive.
 - Let S, T be meet-continuous semilattices. Note that [:S,T:] satisfies MC. Next we state the proposition
- (67) For all semilattices S, T such that [:S,T:] is meet-continuous holds S is meet-continuous and T is meet-continuous.
- Let S, T be up-complete inf-complete non empty posets satisfying axiom of approximation. Note that [:S,T:] satisfies axiom of approximation.
 - Let S, T be continuous inf-complete non empty posets. Observe that [:S,T:] is continuous. One can prove the following proposition
 - (68) Let S, T be up-complete lower-bounded non empty posets. If [:S,T:] is continuous, then S is continuous and T is continuous.
- Let S, T be up-complete lower-bounded sup-semilattices satisfying axiom K. One can verify that [:S,T:] satisfies axiom K.
 - Let S, T be complete algebraic lower-bounded sup-semilattices. Note that [:S,T:] is algebraic. The following proposition is true

- (69) For all lower-bounded non empty posets S, T such that [:S,T:] is algebraic holds S is algebraic and T is algebraic.
 - Let S, T be arithmetic lower-bounded lattices. One can check that [:S,T:] is arithmetic. One can prove the following proposition
- (70) For all lower-bounded lattices S, T such that [:S,T:] is arithmetic holds S is arithmetic and T is arithmetic.

REFERENCES

- [1] Grzegorz Bancerek. Complete lattices. Journal of Formalized Mathematics, 4, 1992. http://mizar.org/JFM/Vol4/lattice3.html.
- [2] Grzegorz Bancerek. Bounds in posets and relational substructures. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/ JFM/Vol8/yellow 0.html.
- [3] Grzegorz Bancerek. Directed sets, nets, ideals, filters, and maps. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/ JFM/Vol8/waybel_0.html.
- [4] Grzegorz Bancerek. The "way-below" relation. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/JFM/Vol8/waybel_ 3.html.
- [5] Czesław Byliński. Some basic properties of sets. Journal of Formalized Mathematics, 1, 1989. http://mizar.org/JFM/Vol1/zfmisc 1.html.
- [6] Czesław Byliński. Galois connections. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/JFM/Vol8/waybel_1.html.
- [7] G. Gierz, K.H. Hofmann, K. Keimel, J.D. Lawson, M. Mislove, and D.S. Scott. A Compendium of Continuous Lattices. Springer-Verlag, Berlin, Heidelberg, New York, 1980.
- [8] Artur Korniłowicz. Cartesian products of relations and relational structures. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/JFM/Vol8/yellow_3.html.
- [9] Artur Kornilowicz. Definitions and properties of the join and meet of subsets. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/JFM/Vol8/yellow_4.html.
- [10] Artur Korniłowicz. Meet continuous lattices. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/JFM/Vol8/waybel_ 2.html.
- [11] Beata Madras. Irreducible and prime elements. *Journal of Formalized Mathematics*, 8, 1996. http://mizar.org/JFM/Vol8/waybel_
- [12] Robert Milewski. Algebraic lattices. Journal of Formalized Mathematics, 8, 1996. http://mizar.org/JFM/Vol8/waybel_8.html.
- [13] Andrzej Trybulec. Tarski Grothendieck set theory. *Journal of Formalized Mathematics*, Axiomatics, 1989. http://mizar.org/JFM/
- [14] Andrzej Trybulec. Tuples, projections and Cartesian products. Journal of Formalized Mathematics, 1, 1989. http://mizar.org/JFM/Voll/moart_1.html.
- [15] Andrzej Trybulec. Scott topology. Journal of Formalized Mathematics, 9, 1997. http://mizar.org/JFM/Vol9/waybell1.html.
- [16] Wojciech A. Trybulec. Partially ordered sets. Journal of Formalized Mathematics, 1, 1989. http://mizar.org/JFM/Vol1/orders_ 1.html.

Received March 27, 1998

Published January 2, 2004