JOURNAL OF FORMALIZED MATHEMATICS
Volume 12, Released 2000, Published 2003
Inst. of Computer Science, Univ. of Białystok

Some Properties of Extended Real Numbers Operations: abs, min and max

Noboru Endou
Shinshu University
Nagano

Katsumi Wasaki
Shinshu University
Nagano

Yasunari Shidama
Shinshu University
Nagano

Summary. In this article, we extend some properties concerning real numbers to extended real numbers. Almost all properties included in this article are extended properties of other articles: [10], [7], [9], [11] and [8].

MML Identifier: `EXTREAL2`.

WWW: `http://mizar.org/JFM/Vol12/extreal2.html`

The articles [1], [9], [11], [2], [3], [4], [5], and [6] provide the notation and terminology for this paper.

1. Preliminaries

We adopt the following rules: x, y, w, z are extended real numbers and a, b are real numbers.

One can prove the following propositions:

(2)[1] If $x \neq +\infty$ and $x \neq -\infty$, then there exists y such that $x+y = 0_{\overline{\mathbb{R}}}$.

(3) If $x \neq +\infty$ and $x \neq -\infty$ and $x \neq 0_{\overline{\mathbb{R}}}$, then there exists y such that $x \cdot y = \overline{1}$.

(4) $\overline{1} \cdot x = x$ and $x \cdot \overline{1} = x$ and $\overline{\mathbb{R}}(1) \cdot x = x$ and $x \cdot \overline{\mathbb{R}}(1) = x$.

(5) $0_{\overline{\mathbb{R}}} - x = -x$.

(7)[2] If $0_{\overline{\mathbb{R}}} \leq x$ and $0_{\overline{\mathbb{R}}} \leq y$, then $0_{\overline{\mathbb{R}}} \leq x+y$.

(8) If $0_{\overline{\mathbb{R}}} \leq x$ and $0_{\overline{\mathbb{R}}} < y$ or $0_{\overline{\mathbb{R}}} < x$ and $0_{\overline{\mathbb{R}}} \leq y$, then $0_{\overline{\mathbb{R}}} < x+y$.

(9) If $x \leq 0_{\overline{\mathbb{R}}}$ and $y \leq 0_{\overline{\mathbb{R}}}$, then $x+y \leq 0_{\overline{\mathbb{R}}}$.

(10) If $x \leq 0_{\overline{\mathbb{R}}}$ and $y < 0_{\overline{\mathbb{R}}}$ or $x < 0_{\overline{\mathbb{R}}}$ and $y \leq 0_{\overline{\mathbb{R}}}$, then $x+y < 0_{\overline{\mathbb{R}}}$.

(11) If $z \neq +\infty$ and $z \neq -\infty$ and $x+z = y$, then $x = y-z$.

(12) If $x \neq +\infty$ and $x \neq -\infty$ and $x \neq 0_{\overline{\mathbb{R}}}$, then $x \cdot \frac{\overline{1}}{x} = \overline{1}$ and $\frac{\overline{1}}{x} \cdot x = \overline{1}$.

(13) If $x \neq +\infty$ and $x \neq -\infty$, then $x - x = 0_{\overline{\mathbb{R}}}$.

(14) If $x \neq +\infty$ or $y \neq -\infty$ and if $x \neq -\infty$ or $y \neq +\infty$, then $-(x+y) = -x + -y$ and $-(x+y) = -y-x$ and $-(x+y) = -x-y$.

[1] The proposition (1) has been removed.
[2] The proposition (6) has been removed.

(15) If $x \neq +\infty$ or $y \neq +\infty$ and if $x \neq -\infty$ or $y \neq -\infty$, then $-(x-y) = -x+y$ and $-(x-y) = y-x$.

(16) If $x \neq +\infty$ or $y \neq +\infty$ and if $x \neq -\infty$ or $y \neq -\infty$, then $-(-x+y) = x-y$ and $-(-x+y) = x+-y$.

(17) If $x = +\infty$ and $0_{\overline{\mathbb{R}}} < y$ and $y < +\infty$ or $x = -\infty$ and $y < 0_{\overline{\mathbb{R}}}$ and $-\infty < y$, then $\frac{x}{y} = +\infty$.

(18) If $x = +\infty$ and $y < 0_{\overline{\mathbb{R}}}$ and $-\infty < y$ or $x = -\infty$ and $0_{\overline{\mathbb{R}}} < y$ and $y < +\infty$, then $\frac{x}{y} = -\infty$.

(19) If $-\infty < y$ and $y < +\infty$ and $y \neq 0_{\overline{\mathbb{R}}}$, then $\frac{x \cdot y}{y} = x$ and $x \cdot \frac{y}{y} = x$.

(20) $\overline{1} < +\infty$ and $-\infty < \overline{1}$.

(21) If $x = +\infty$ or $x = -\infty$, then for every y such that $y \in \mathbb{R}$ holds $x+y \neq 0_{\overline{\mathbb{R}}}$.

(22) If $x = +\infty$ or $x = -\infty$, then for every y holds $x \cdot y \neq \overline{1}$.

(23) If $x \neq +\infty$ or $y \neq -\infty$ but $x \neq -\infty$ or $y \neq +\infty$ and $x+y < +\infty$, then $x \neq +\infty$ and $y \neq +\infty$.

(24) If $x \neq +\infty$ or $y \neq -\infty$ but $x \neq -\infty$ or $y \neq +\infty$ and $-\infty < x+y$, then $x \neq -\infty$ and $y \neq -\infty$.

(25) If $x \neq +\infty$ or $y \neq +\infty$ but $x \neq -\infty$ or $y \neq -\infty$ and $x-y < +\infty$, then $x \neq +\infty$ and $y \neq -\infty$.

(26) If $x \neq +\infty$ or $y \neq +\infty$ but $x \neq -\infty$ or $y \neq -\infty$ and $-\infty < x-y$, then $x \neq -\infty$ and $y \neq +\infty$.

(27) If $x \neq +\infty$ or $y \neq -\infty$ but $x \neq -\infty$ or $y \neq +\infty$ and $x+y < z$, then $x \neq +\infty$ and $y \neq +\infty$ and $z \neq -\infty$ and $x < z-y$.

(28) If $z \neq +\infty$ or $y \neq +\infty$ but $z \neq -\infty$ or $y \neq -\infty$ and $x < z-y$, then $x \neq +\infty$ and $y \neq +\infty$ and $z \neq -\infty$ and $x+y < z$.

(29) If $x \neq +\infty$ or $y \neq +\infty$ but $x \neq -\infty$ or $y \neq -\infty$ and $x-y < z$, then $x \neq +\infty$ and $y \neq -\infty$ and $z \neq -\infty$ and $x < z+y$.

(30) If $z \neq +\infty$ or $y \neq -\infty$ but $z \neq -\infty$ or $y \neq +\infty$ and $x < z+y$, then $x \neq +\infty$ and $y \neq -\infty$ and $z \neq -\infty$ and $x-y < z$.

(31) If $x \neq +\infty$ or $y \neq -\infty$ and $x \neq -\infty$ or $y \neq +\infty$ and $y \neq +\infty$ or $z \neq +\infty$ and $y \neq -\infty$ or $z \neq -\infty$ and $x+y \leq z$, then $y \neq +\infty$ and $x \leq z-y$.

(32) If $x = +\infty$ and $y = -\infty$ and $x = -\infty$ and $y = +\infty$ and $y = +\infty$ and $z = +\infty$ and $x \leq z-y$, then $y \neq +\infty$ and $x+y \leq z$.

(33) If $x \neq +\infty$ or $y \neq +\infty$ and $x \neq -\infty$ or $y \neq -\infty$ and $y \neq +\infty$ or $z \neq -\infty$ and $y \neq -\infty$ or $z \neq +\infty$ and $x-y \leq z$, then $y \neq -\infty$ and $x \leq z+y$.

(34) If $x = +\infty$ and $y = +\infty$ and $x = -\infty$ and $y = -\infty$ and $y = -\infty$ and $z = +\infty$ and $x \leq z+y$, then $y \neq -\infty$ and $x-y \leq z$.

(40)[3] Suppose $x = +\infty$ and $y = +\infty$ and $x = -\infty$ and $y = -\infty$ and $y = +\infty$ and $z = -\infty$ and $y = -\infty$ and $z = +\infty$ and $x = +\infty$ and $z = +\infty$ and $x = -\infty$ and $z = -\infty$. Then $x-y-z = x-(y+z)$.

(41) Suppose $x = +\infty$ and $y = +\infty$ and $x = -\infty$ and $y = -\infty$ and $y = +\infty$ and $z = +\infty$ and $y = -\infty$ and $z = -\infty$ and $x = +\infty$ and $z = -\infty$ and $x = -\infty$ and $z = +\infty$. Then $(x-y)+z = x-(y-z)$.

(42) If $x \cdot y \neq +\infty$ and $x \cdot y \neq -\infty$, then x is a real number or y is a real number.

(43) $0_{\overline{\mathbb{R}}} < x$ and $0_{\overline{\mathbb{R}}} < y$ or $x < 0_{\overline{\mathbb{R}}}$ and $y < 0_{\overline{\mathbb{R}}}$ iff $0_{\overline{\mathbb{R}}} < x \cdot y$.

(44) $0_{\overline{\mathbb{R}}} < x$ and $y < 0_{\overline{\mathbb{R}}}$ or $x < 0_{\overline{\mathbb{R}}}$ and $0_{\overline{\mathbb{R}}} < y$ iff $x \cdot y < 0_{\overline{\mathbb{R}}}$.

(45) $0_{\overline{\mathbb{R}}} \leq x$ or $0_{\overline{\mathbb{R}}} < x$ but $0_{\overline{\mathbb{R}}} \leq y$ or $0_{\overline{\mathbb{R}}} < y$ or $x \leq 0_{\overline{\mathbb{R}}}$ or $x < 0_{\overline{\mathbb{R}}}$ but $y \leq 0_{\overline{\mathbb{R}}}$ or $y < 0_{\overline{\mathbb{R}}}$ iff $0_{\overline{\mathbb{R}}} \leq x \cdot y$.

[3] The propositions (35)–(39) have been removed.

(46) $x \leq 0_{\overline{\mathbb{R}}}$ or $x < 0_{\overline{\mathbb{R}}}$ but $0_{\overline{\mathbb{R}}} \leq y$ or $0_{\overline{\mathbb{R}}} < y$ or $0_{\overline{\mathbb{R}}} \leq x$ or $0_{\overline{\mathbb{R}}} < x$ but $y \leq 0_{\overline{\mathbb{R}}}$ or $y < 0_{\overline{\mathbb{R}}}$ iff $x \cdot y \leq 0_{\overline{\mathbb{R}}}$.

(47) $x \leq -y$ iff $y \leq -x$ and $-x \leq y$ iff $-y \leq x$.

(48) $x < -y$ iff $y < -x$ and $-x < y$ iff $-y < x$.

2. Basic Properties of abs for Extended Real Numbers

Next we state a number of propositions:

(49) If $x = a$, then $|x| = |a|$.

(50) $|x| = x$ or $|x| = -x$.

(51) $0_{\overline{\mathbb{R}}} \leq |x|$.

(52) If $x \neq 0_{\overline{\mathbb{R}}}$, then $0_{\overline{\mathbb{R}}} < |x|$.

(53) $x = 0_{\overline{\mathbb{R}}}$ iff $|x| = 0_{\overline{\mathbb{R}}}$.

(54) If $|x| = -x$ and $x \neq 0_{\overline{\mathbb{R}}}$, then $x < 0_{\overline{\mathbb{R}}}$.

(55) If $x \leq 0_{\overline{\mathbb{R}}}$, then $|x| = -x$.

(56) $|x \cdot y| = |x| \cdot |y|$.

(57) $-|x| \leq x$ and $x \leq |x|$.

(58) If $|x| < y$, then $-y < x$ and $x < y$.

(59) If $-y < x$ and $x < y$, then $0_{\overline{\mathbb{R}}} < y$ and $|x| < y$.

(60) $-y \leq x$ and $x \leq y$ iff $|x| \leq y$.

(61) If $x \neq +\infty$ or $y \neq -\infty$ and if $x \neq -\infty$ or $y \neq +\infty$, then $|x+y| \leq |x| + |y|$.

(62) If $-\infty < x$ and $x < +\infty$ and $x \neq 0_{\overline{\mathbb{R}}}$, then $|x| \cdot |\frac{\overline{1}}{x}| = \overline{1}$.

(63) If $x = +\infty$ or $x = -\infty$, then $|x| \cdot |\frac{\overline{1}}{x}| = 0_{\overline{\mathbb{R}}}$.

(64) If $x \neq 0_{\overline{\mathbb{R}}}$, then $|\frac{\overline{1}}{x}| = \frac{\overline{1}}{|x|}$.

(65) If $x = -\infty$ or $x = +\infty$ and if $y = -\infty$ or $y = +\infty$ and if $y \neq 0_{\overline{\mathbb{R}}}$, then $|\frac{x}{y}| = \frac{|x|}{|y|}$.

(66) $|x| = |-x|$.

(67) If $x = +\infty$ or $x = -\infty$, then $|x| = +\infty$.

(68) If x is a real number or y is a real number, then $|x| - |y| \leq |x - y|$.

(69) If $x \neq +\infty$ or $y \neq +\infty$ and if $x \neq -\infty$ or $y \neq -\infty$, then $|x - y| \leq |x| + |y|$.

(70) $||x|| = |x|$.

(71) If $x \neq +\infty$ or $y \neq -\infty$ but $x \neq -\infty$ or $y \neq +\infty$ and $|x| \leq z$ and $|y| \leq w$, then $|x+y| \leq z + w$.

(72) If x is a real number or y is a real number, then $||x| - |y|| \leq |x - y|$.

(73) If $0_{\overline{\mathbb{R}}} \leq x \cdot y$, then $|x+y| = |x| + |y|$.

3. Definitions of min, max for Extended Real Numbers and their Basic Properties

We now state the proposition

(74) If $x = a$ and $y = b$, then $b < a$ iff $y < x$ and $b \leq a$ iff $y \leq x$.

Let us consider x, y. The functor $\min(x,y)$ yields an extended real number and is defined as follows:

$$\text{(Def. 1)}\quad \min(x,y) = \begin{cases} x, \text{ if } x \leq y, \\ y, \text{ otherwise.} \end{cases}$$

The functor $\max(x,y)$ yields an extended real number and is defined as follows:

$$\text{(Def. 2)}\quad \max(x,y) = \begin{cases} x, \text{ if } y \leq x, \\ y, \text{ otherwise.} \end{cases}$$

We now state a number of propositions:

(75) If $x = -\infty$ or $y = -\infty$, then $\min(x,y) = -\infty$.

(76) If $x = +\infty$ or $y = +\infty$, then $\max(x,y) = +\infty$.

(77) Let x, y be extended real numbers and a, b be real numbers. If $x = a$ and $y = b$, then $\min(x,y) = \min(a,b)$ and $\max(x,y) = \max(a,b)$.

(78) If $y \leq x$, then $\min(x,y) = y$.

(79) If $y \not\leq x$, then $\min(x,y) = x$.

(80) If $x \neq +\infty$ and $y \neq +\infty$ and $x \neq +\infty$ or $y \neq +\infty$ but $x \neq -\infty$ or $y \neq -\infty$, then $\min(x,y) = \frac{(x+y)-|x-y|}{\overline{\mathbb{R}}(2)}$.

(81) $\min(x,y) \leq x$ and $\min(y,x) \leq x$.

(83)[4] $\min(x,y) = \min(y,x)$.

(84) $\min(x,y) = x$ or $\min(x,y) = y$.

(85) $x \leq y$ and $x \leq z$ iff $x \leq \min(y,z)$.

(87)[5] If $\min(x,y) = y$, then $y \leq x$.

(88) $\min(x, \min(y,z)) = \min(\min(x,y),z)$.

(89) If $x \leq y$, then $\max(x,y) = y$.

(90) If $x \not\leq y$, then $\max(x,y) = x$.

(91) If $x \neq -\infty$ and $y \neq -\infty$ and $x \neq +\infty$ or $y \neq +\infty$ but $x \neq -\infty$ or $y \neq -\infty$, then $\max(x,y) = \frac{x+y+|x-y|}{\overline{\mathbb{R}}(2)}$.

(92) $x \leq \max(x,y)$ and $x \leq \max(y,x)$.

(94)[6] $\max(x,y) = \max(y,x)$.

(95) $\max(x,y) = x$ or $\max(x,y) = y$.

(96) $y \leq x$ and $z \leq x$ iff $\max(y,z) \leq x$.

---

[4] The proposition (82) has been removed.
[5] The proposition (86) has been removed.
[6] The proposition (93) has been removed.

(98)[7] If $\max(x,y) = y$, then $x \leq y$.

(99) $\max(x, \max(y,z)) = \max(\max(x,y),z)$.

(100) $\min(x,y) + \max(x,y) = x + y$.

(101) $\max(x, \min(x,y)) = x$ and $\max(\min(x,y),x) = x$ and $\max(\min(y,x),x) = x$ and $\max(x, \min(y,x)) = x$.

(102) $\min(x, \max(x,y)) = x$ and $\min(\max(x,y),x) = x$ and $\min(\max(y,x),x) = x$ and $\min(x, \max(y,x)) = x$.

(103) $\min(x, \max(y,z)) = \max(\min(x,y), \min(x,z))$ and $\min(\max(y,z),x) = \max(\min(y,x), \min(z,x))$.

(104) $\max(x, \min(y,z)) = \min(\max(x,y), \max(x,z))$ and $\max(\min(y,z),x) = \min(\max(y,x), \max(z,x))$.

REFERENCES

[1] Grzegorz Bancerek. The ordinal numbers. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/ordinal1.html`.

[2] Józef Białas. Infimum and supremum of the set of real numbers. Measure theory. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/supinf_1.html`.

[3] Józef Białas. Series of positive real numbers. Measure theory. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/supinf_2.html`.

[4] Józef Białas. Some properties of the intervals. *Journal of Formalized Mathematics*, 6, 1994. `http://mizar.org/JFM/Vol6/measure6.html`.

[5] Noboru Endou, Katsumi Wasaki, and Yasunari Shidama. Basic properties of extended real numbers. *Journal of Formalized Mathematics*, 12, 2000. `http://mizar.org/JFM/Vol12/extreal1.html`.

[6] Noboru Endou, Katsumi Wasaki, and Yasunari Shidama. Definitions and basic properties of measurable functions. *Journal of Formalized Mathematics*, 12, 2000. `http://mizar.org/JFM/Vol12/mesfunc1.html`.

[7] Krzysztof Hryniewiecki. Basic properties of real numbers. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/real_1.html`.

[8] Andrzej Kondracki. Equalities and inequalities in real numbers. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/real_2.html`.

[9] Jan Popiołek. Some properties of functions modul and signum. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/absvalue.html`.

[10] Andrzej Trybulec. Strong arithmetic of real numbers. *Journal of Formalized Mathematics*, Addenda, 1989. `http://mizar.org/JFM/Addenda/axioms.html`.

[11] Andrzej Trybulec and Czesław Byliński. Some properties of real numbers operations: min, max, square, and square root. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/square_1.html`.

Received September 15, 2000

Published January 2, 2004

---

[7] The proposition (97) has been removed.