JOURNAL OF FORMALIZED MATHEMATICS
Volume 8, Released 1996, Published 2003
Inst. of Computer Science, Univ. of Białystok

The Correspondence Between Monotonic Many Sorted Signatures and Well-Founded Graphs. Part II[1]

Czesław Byliński
Warsaw University
Białystok

Piotr Rudnicki
University of Alberta
Edmonton

Summary. The graph induced by a many sorted signature is defined as follows: the vertices are the symbols of sorts, and if a sort s is an argument of an operation with result sort t, then a directed edge $[s,t]$ is in the graph. The key lemma states relationship between the depth of elements of a free many sorted algebra over a signature and the length of directed chains in the graph induced by the signature. Then we prove that a monotonic many sorted signature (every finitely-generated algebra over it is locally-finite) induces a *well-founded* graph. The converse holds with an additional assumption that the signature is finitely operated, i.e. there is only a finite number of operations with the given result sort.

MML Identifier: MSSCYC_2.

WWW: http://mizar.org/JFM/Vol8/msscyc_2.html

The articles [21], [12], [26], [25], [1], [22], [27], [9], [11], [10], [14], [2], [4], [5], [6], [19], [3], [15], [16], [23], [24], [8], [20], [18], [17], [13], and [7] provide the notation and terminology for this paper.

In this paper n is a natural number.

Let S be a many sorted signature. The functor InducedEdges(S) yielding a set is defined by the condition (Def. 1).

(Def. 1) Let x be a set. Then $x \in$ InducedEdges(S) if and only if there exist sets o_1, v such that $x = \langle o_1, v \rangle$ and $o_1 \in$ the operation symbols of S and $v \in$ the carrier of S and there exists a natural number n and there exists an element a_1 of (the carrier of S)* such that (the arity of S)$(o_1) = a_1$ and $n \in \operatorname{dom} a_1$ and $a_1(n) = v$.

Next we state the proposition

(1) For every many sorted signature S holds InducedEdges(S) $\subseteq$ [: the operation symbols of S, the carrier of S :].

Let S be a many sorted signature. The functor InducedSource(S) yielding a function from InducedEdges(S) into the carrier of S is defined as follows:

(Def. 2) For every set e such that $e \in$ InducedEdges(S) holds (InducedSource(S))$(e) = e_{\mathbf{2}}$.

The functor InducedTarget(S) yields a function from InducedEdges(S) into the carrier of S and is defined as follows:

[1] This work was partially supported by NSERC Grant OGP9207.

© Association of Mizar Users

(Def. 3) For every set e such that $e \in \mathrm{InducedEdges}(S)$ holds $(\mathrm{InducedTarget}(S))(e) =$ (the result sort of $S)(e_{\mathbf{1}})$.

Let S be a non empty many sorted signature. The functor $\mathrm{InducedGraph}(S)$ yields a graph and is defined by:

(Def. 4) $\mathrm{InducedGraph}(S) = \langle$the carrier of $S, \mathrm{InducedEdges}(S), \mathrm{InducedSource}(S), \mathrm{InducedTarget}(S)\rangle$.

We now state several propositions:

(2) Let S be a non void non empty many sorted signature, X be a non-empty many sorted set indexed by the carrier of S, v be a sort symbol of S, and given n. Suppose $1 \leq n$. Then there exists an element t of (the sorts of $\mathrm{Free}(X))(v)$ such that $\mathrm{depth}(t) = n$ if and only if there exists a directed chain c of $\mathrm{InducedGraph}(S)$ such that $\mathrm{len}\, c = n$ and $(\text{vertex-seq}(c))(\mathrm{len}\, c + 1) = v$.

(3) For every void non empty many sorted signature S holds S is monotonic iff $\mathrm{InducedGraph}(S)$ is well-founded.

(4) For every non void non empty many sorted signature S such that S is monotonic holds $\mathrm{InducedGraph}(S)$ is well-founded.

(5) Let S be a non void non empty many sorted signature and X be a non-empty locally-finite many sorted set indexed by the carrier of S. Suppose S is finitely operated. Let n be a natural number and v be a sort symbol of S. Then $\{t; t$ ranges over elements of (the sorts of $\mathrm{Free}(X))(v)$: $\mathrm{depth}(t) \leq n\}$ is finite.

(6) Let S be a non void non empty many sorted signature. If S is finitely operated and $\mathrm{InducedGraph}(S)$ is well-founded, then S is monotonic.

REFERENCES

[1] Grzegorz Bancerek. The fundamental properties of natural numbers. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/nat_1.html.

[2] Grzegorz Bancerek. Introduction to trees. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/trees_1.html.

[3] Grzegorz Bancerek. König's theorem. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/card_3.html.

[4] Grzegorz Bancerek. König's Lemma. *Journal of Formalized Mathematics*, 3, 1991. http://mizar.org/JFM/Vol3/trees_2.html.

[5] Grzegorz Bancerek. Sets and functions of trees and joining operations of trees. *Journal of Formalized Mathematics*, 4, 1992. http://mizar.org/JFM/Vol4/trees_3.html.

[6] Grzegorz Bancerek. Joining of decorated trees. *Journal of Formalized Mathematics*, 5, 1993. http://mizar.org/JFM/Vol5/trees_4.html.

[7] Grzegorz Bancerek and Krzysztof Hryniewiecki. Segments of natural numbers and finite sequences. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/finseq_1.html.

[8] Ewa Burakowska. Subalgebras of many sorted algebra. Lattice of subalgebras. *Journal of Formalized Mathematics*, 6, 1994. http://mizar.org/JFM/Vol6/msualg_2.html.

[9] Czesław Byliński. Functions and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/funct_1.html.

[10] Czesław Byliński. Functions from a set to a set. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/funct_2.html.

[11] Czesław Byliński. Partial functions. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/partfun1.html.

[12] Czesław Byliński. Some basic properties of sets. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/zfmisc_1.html.

[13] Czesław Byliński and Piotr Rudnicki. The correspondence between monotonic many sorted signatures and well-founded graphs. Part I. *Journal of Formalized Mathematics*, 8, 1996. http://mizar.org/JFM/Vol8/msscyc_1.html.

[14] Agata Darmochwał. Finite sets. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/finset_1.html.

[15] Krzysztof Hryniewiecki. Graphs. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/graph_1.html.

[16] Yatsuka Nakamura and Piotr Rudnicki. Vertex sequences induced by chains. *Journal of Formalized Mathematics*, 7, 1995. http://mizar.org/JFM/Vol7/graph_2.html.

[17] Yatsuka Nakamura, Piotr Rudnicki, Andrzej Trybulec, and Pauline N. Kawamoto. Preliminaries to circuits, I. *Journal of Formalized Mathematics*, 6, 1994. http://mizar.org/JFM/Vol6/pre_circ.html.

[18] Yatsuka Nakamura, Piotr Rudnicki, Andrzej Trybulec, and Pauline N. Kawamoto. Preliminaries to circuits, II. *Journal of Formalized Mathematics*, 6, 1994. http://mizar.org/JFM/Vol6/msafree2.html.

[19] Andrzej Nędzusiak. σ-fields and probability. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/prob_1.html.

[20] Beata Perkowska. Free many sorted universal algebra. *Journal of Formalized Mathematics*, 6, 1994. http://mizar.org/JFM/Vol6/msafree.html.

[21] Andrzej Trybulec. Tarski Grothendieck set theory. *Journal of Formalized Mathematics*, Axiomatics, 1989. http://mizar.org/JFM/Axiomatics/tarski.html.

[22] Andrzej Trybulec. Tuples, projections and Cartesian products. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/mcart_1.html.

[23] Andrzej Trybulec. Many-sorted sets. *Journal of Formalized Mathematics*, 5, 1993. http://mizar.org/JFM/Vol5/pboole.html.

[24] Andrzej Trybulec. Many sorted algebras. *Journal of Formalized Mathematics*, 6, 1994. http://mizar.org/JFM/Vol6/msualg_1.html.

[25] Andrzej Trybulec. Subsets of real numbers. *Journal of Formalized Mathematics*, Addenda, 2003. http://mizar.org/JFM/Addenda/numbers.html.

[26] Zinaida Trybulec. Properties of subsets. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/subset_1.html.

[27] Edmund Woronowicz. Relations and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/relat_1.html.

Received April 10, 1996

Published January 2, 2004